

Ifw



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/825,244	04/16/2004	In-Kyu Lee	041993-5369

009629
 MORGAN LEWIS & BOCKIUS LLP
 1111 PENNSYLVANIA AVENUE NW
 WASHINGTON, DC 20004



CONFIRMATION NO. 9530

FORMALITIES LETTER



OC000000013085494

Date Mailed: 06/28/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) all.

Replies should be mailed to: Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

MTB
 Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



PATENT

ATTORNEY DOCKET NO.: 041993-5369

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: In-Kyu LEE

Application No.: 10/825,244

Examiner: Unassigned

Filed: April 16, 2004

Group Art Unit: 2871

For: DISPENSER SYSTEM FOR LIQUID
CRYSTAL DISPLAY PANEL AND
DISPENSING METHOD USING THE SAME

Commissioner for Patents
Arlington, Virginia 22202


**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS AND
SUBMISSION OF REPLACEMENT DRAWINGS**

To correct the informalities in the drawings, applicant submits herewith 9 replacement sheets of drawings containing 9 Figures to conform the drawings with the requirements as noted on the Notice to File Corrected Application Papers. A copy of the Notice to File Corrected Application Papers is enclosed. The two month period of response expires on August 28, 2004 and this submission is on or before the expiration date.

If there are any fees due in connection with the filing of these drawings, the Commissioner is hereby authorized to charge any additional fees due to Deposit Account No. 50-0310.

Respectfully submitted,

MORGAN, LEWIS & BOCKIUS LLP

By: 

Robert J. Goodell
Reg. No. 41,040

Dated: July 28, 2004

Customer No. 009629
MORGAN, LEWIS & BOCKIUS LLP
1111 Pennsylvania Avenue, N.W.
Washington, D.C. 20004
(202) 739-3000